

Message

From: Seneca, Roy [Seneca.Roy@epa.gov]
Sent: 7/15/2021 11:24:30 AM
To: Landis, Jeffrey [Landis.Jeffrey@epa.gov]
CC: White, Terri-A [White.Terri-A@epa.gov]; Nitsch, Chad [Nitsch.Chad@epa.gov]; Kim, Lena [Kim.Lena@epa.gov]; Smith, William (Region 3) [smith.william@epa.gov]
Subject: RE: Review/Approval: EPA orders Clarksburg to identify homes, businesses with lead service lines
Attachments: News Release-EmergencyOrder-Clarksburg.docx

Importance: High

Jeff – Sorry for the late fix, but please use this version. It makes a couple corrections to the first paragraph. -- Roy

From: Seneca, Roy
Sent: Thursday, July 15, 2021 6:48 AM
To: Landis, Jeffrey <Landis.Jeffrey@epa.gov>
Cc: White, Terri-A <White.Terri-A@epa.gov>; Nitsch, Chad <Nitsch.Chad@epa.gov>; Kim, Lena <Kim.Lena@epa.gov>; Smith, William (Region 3) <smith.william@epa.gov>
Subject: Review/Approval: EPA orders Clarksburg to identify homes, businesses with lead service lines
Importance: High

Jeff – This version of the news release includes input from ORC and ECAD. Please review and edit as needed and forward to the front office for approval. Throughout

Ex. 5 Deliberative Process (DP)

Roy

Roy Seneca
EPA Region 3 Press Officer
Office of Public Affairs
seneca.roy@epa.gov
(215) 814-5567